



C6R/75SU - Lincat Seal
650 Series Counter-top
Curved Front
Refrigerated
Merchandiser - Self-
Service - Under-Counter
Power Pack - W 750 mm -
0.6 kW

Enhance your food sales by showcasing sandwiches, baguettes, yoghurts, fruit and drinks in the Seal 650 Range Curved Front Refrigerated Merchandiser.

- ✔ Using precise thermostatic control this unit holds food from 3°C - 7°C. It enables the user to accurately monitor the temperature of product for the absolute best results
- ✔ Provides daylight balanced illumination, which lights up the units interior and spotlights each product
- ✔ Digital display which gives clear indication of temperature to the user
- ✔ Options for self service or back service are also available.
- ✔ The unit is double glazed which keeps the cool air locked in, this in turn gives the customer better results while also saving money through energy efficiency.
- ✔ Spacious unit enabling you to showcase a wide variety of product

Specifications

Summary **Power and Performance**

| | |
|--|---|
| <p>Brand Lincat</p> <p>Range Seal</p> <p>Series 650 Series</p> <p>Power Type Electric</p> <p>Unit Type Counter-top</p> <p>Available in UK Only No</p> <p>UK Warranty 2 Years Parts and Labour Warranty</p> <p>Export Warranty Contact your local dealer</p> <p>GTIN 5056105104001</p> | <p>Total Power kW 0.600</p> <p>Temperature Range °C 3-7</p> <p>IP Rating IP33</p> <p>Temperature Control Electronic</p> |
|--|---|

Key Specifications

| | |
|-----------------------------------|--------------|
| Number of Shelves included | 2 |
| Number of Shelf Positions | 2 |
| Refrigerant Type | R452a |
| Service Type | Self service |
| Type of Lighting | Fluorescent |




Weights and Dimensions **Supply Connections**

| | |
|---|---|
| <p>Unit Height (External) mm 755</p> <p>Unit Width (External) mm 750</p> <p>Unit Depth (External) mm 650</p> <p>Height (Internal) mm 560</p> <p>Width (Internal) mm 710</p> <p>Depth (Internal) mm 570</p> <p>Shelf Dimensions Width mm 650</p> <p>Shelf Dimensions Depth mm 525</p> <p>Net Weight Kg 98</p> | <p>Requires Installation No</p> <p>Requires Electrical Supply Yes</p> <p>UK 3 Pin Plug Yes</p> <p>Requires Hardwiring No</p> <p>Electrical Supply Rating Watts 602</p> <p>Single Phase Amps 2.60</p> <p>Single Phase Voltage 230</p> |
|---|---|

Shipping

| | |
|------------------|-------|
| Packed Weight Kg | 107.8 |
| Packed Height cm | 115 |
| Packed Width cm | 88 |
| Packed Depth cm | 75 |

Technical Picture





Lincat Limited

Whisby Road,
Lincoln, LN6 3QZ,
United Kingdom

Company No: 2175448

A member company of



Customer Care

Tel: +44 1522 875500
Email: care@lincat.co.uk

Export Customers

Tel: +44 1522 875536
Email: export@lincat.co.uk

Opening Hours

Monday – Friday:
8.30am – 5pm