



GS4/E - Lincat Silverlink 600 Electric Counter-top Griddle - Extra Power - W 450 mm - 3.7 kW

Whether you're cooking eggs, bacon, burgers or vegetables, the versatile Silverlink 600 Electric Griddle won't let you down.

- ✓ Extra powered element for maximum output for a busy kitchen
- ✓ Hard wearing 12 mm thick machined steel plate providing even heat distribution and excellent heat retention
- ✓ Thermostatically controlled to give accurate temperatures during the cooking process for consistent results
- ✓ Removable front drainer drawer which also makes for easy cleaning. Ideal for busy establishments
- ✓ The plate is fully welded into the frame to prevent leaks and places where food and carbon can build up

Specifications

Summary

| | |
|-----------------------------|-----------------------------------|
| Brand | Lincat |
| Range | Silverlink 600 |
| Power Type | Electric |
| Unit Type | Counter-top |
| Available in UK Only | No |
| UK Warranty | 2 Years Parts and Labour Warranty |
| Export Warranty | Contact your local dealer |
| GTIN | 5056105104773 |

Power and Performance

| | |
|----------------------------------------|------------|
| Total Power kW | 3.7 |
| Temperature Range °C | 50-250 |
| IP Rating | IP33 |
| Cooking Area (Width x Depth) mm | 412 x 405 |
| Temperature Control | Mechanical |

Key Specifications

| | |
|---------------------------------|--------|
| Number of Heat Zones | 2 |
| Grill Plate Surface Type | Smooth |
| Grill Plate Material | Steel |

Weights and Dimensions

| | |
|----------------------------------|-----|
| Unit Height (External) mm | 330 |
| Unit Width (External) mm | 450 |
| Unit Depth (External) mm | 600 |
| Net Weight Kg | 32 |

Supply Connections

| | |
|---------------------------------------|-------|
| Requires Installation | Yes |
| Requires Electrical Supply | Yes |
| UK 3 Pin Plug | No |
| Requires Hardwiring | Yes |
| Electrical Supply Rating Watts | 3,700 |
| Single Phase Amps | 16.1 |
| Single Phase Voltage | 230 |

Shipping

| | |
|-------------------------|------|
| Packed Weight Kg | 35.2 |
| Packed Height cm | 63.5 |
| Packed Width cm | 70 |
| Packed Depth cm | 55 |




Available Accessories

| | |
|-------------|---------------------------------------------------------------------------------------------|
| CC4 | Lincat Silverlink 600 Free-standing Ambient Open-Top Pedestal with Doors - W 450 mm |
| CN4 | Lincat Silverlink 600 Free-standing Ambient Open-Top Pedestal without Doors - W 450 mm |
| HC4 | Lincat Silverlink 600 Free-standing Heated Open-Top Pedestal with Doors - W 450 mm - 0.5 kW |
| HCL4 | Lincat Silverlink 600 Free-standing Heated Pedestal with Legs and Doors - W 450 mm - 0.5 kW |

Available Accessories

- SB4** 450 GRIDDLE SPLASHB
- SLS4** Lincat Silverlink 600 Free-standing Floor Stand - for units W 450 mm

Technical Picture





Lincat Limited

Whisby Road,
Lincoln, LN6 3QZ,
United Kingdom

Company No: 2175448

A member company of



Customer Care

Tel: +44 1522 875500
Email: care@lincat.co.uk

Export Customers

Tel: +44 1522 875536
Email: export@lincat.co.uk

Opening Hours

Monday – Friday:
8.30am – 5pm