



**IMC VULTURE 725 IN-TABLING FOOD WASTE DISPOSER - 3 PHASE
[5 WIRE] [AIR BREAK] - W 338 MM - 1.1 KW**

MODEL: F60/515



Vulture

PRODUCT FEATURES

- Fast and efficient disposal of up to 400kg of food waste per hour.
- Handles up to 850 covers per sitting - ideal for medium-size kitchens.
- For medium waste (plate waste, vegetables and peelings, meat and fish scraps).
- Compact design allows hopper to be table-mounted, for quick and easy loading.
- Constructed from hygienic stainless steel with interlocks for operator safety.
- Manually reversible motor to extend operational life.
- With class A airbreak kit - recommended when connecting to a mains water supply.

Fast and efficient, the 725 Waste Disposer with airbreak enables medium-sized kitchens to remove waste quickly and simply. It is able to dispose of 400kg of food waste per hour and handles up to 850 covers per sitting, making it ideal for hotels, schools and hospitals.

The 725 Waste Disposer is suitable for medium waste - plate waste, vegetables and peelings, meat and fish scraps, and small bones. Its compact design allows the hopper to be mounted on a table, making it quick and easy to load, saving staff time and labour.

With a smooth stainless steel finish, the 725 Waste

A/A FILE NUMBER:

ITEM NUMBER:



IMC VULTURE 725 IN-TABLING FOOD WASTE DISPOSER - 3 PHASE
[5 WIRE] [AIR BREAK] - W 338 MM - 1.1 KW

MODEL: F60/515

WEIGHTS & DIMENSIONS

Width	340 mil
Depth	472 mil
Height	853 mil
Weight	39.5 kg

SHIPPING DETAILS

Ship Width	63 cm
Ship Depth	48 cm
Ship Height	104 cm
Ship Weight	43.45 kg
Number of Shipment Parcels	1
Shipping Origin Zip Code	LN6 3QZ, UNITED KINGDOM
Quick Ship Product	No
Returnable Item	No

PRODUCT CERTIFICATIONS



ENERGY SPECS

Primary Energy Source Type	Electricity	Number of Electrical Conductor Wires	1
Electrical Amps	2.8	Electrical Connection Type	Direct Hardwired
Electrical Voltage	400	Electrical Plug Type	Hardwired
Electrical Watts	1100	Number of Electrical Plugs	Not Applicable
Electrical Phase	Three	Dedicated Circuit Required	Yes
Kilowatts	1.1 kW	Energy Saving	No

ADDITIONAL SPECIFICATIONS

Airbreak	Yes	Operator Safety Method	Interlock
Control Type	On/Off	Self-Cleaning Capable	No
Food Waste Types Processed	Medium (small pork/ chicken bones, vegeta- bles and fruit)	Waste Processing Capacity Per Hour: Weight	400 kg
Meal Waste Servings Processed Per Sitting	850	Waste Types Processed	Medium (small pork/ chicken bones, vegeta- bles and fruit)
Motor Power	1.5 hp		

BIDDING SPECIFICATIONS

Bidding Specifications Not Available.






IMC VULTURE 725 IN-TABLING FOOD WASTE DISPOSER - 3 PHASE
[5 WIRE] [AIR BREAK] - W 338 MM - 1.1 KW

MODEL: F60/515

TECHNICAL DRAWING



IMC reserves the right to modify specifications or discontinue models without incurring obligation. Dimensions nominal.

Document Auto-Generated
January 23, 2024